<b>Work Orde</b> <i>July 7, 2009 1:2</i>		057											Page 1
Revision ID: Item Name:	D2565-107 E Strut 7/08/09	Start Qty: 10.	1 / 68/31 (/ 41/ 44/) 44/	Accept		Cust Item I				Setup	Start Stop	1 10011101 01	
Required Date: Reference:		Req'd Qty: 10.				Customer:					£44	1 18833181 81	
Approvals:	Process Pla QC:	n:	Date:	Tooling: SPC (Y/N):			ite:			Run	Start Stop		
Sequence ID/ Work Center II		Operation Description		Set Up/ Run Hours		Draw Number	Draw Rev.	Plan Code	Accep Qty	ot Rej Qty		Reject Number	Insp. Stamp
Draw Nbr		ision Nbr	_										
D2565	Rev	Е		0.00		· · · · · · · · · · · · · · · · · · ·	·· <del></del> · · ·						
Brake NC		NC BRAKE  Memo  Punch	as per Dwg D2565 using DT 831	0.00 0.00 3	SB	09(	07/0	3					10
110 Small Fab Small Fab		Small Fab  Memo Deburr		0.00 0.00	1 p	, 09,	lo 1/c	08	(K	Ĵχ)	)		

QC

120

QC5- Inspect part completeness to step on W/O

Memo

Sorlosos (40)

**Quality Control** 

	•												
W/O:		WORK ORDER CHANGES											
DATE	STEP	PROC	EDURE CH	IANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector				
			ž.										
,		4.							•				
								<u> </u>					
Part No	•	PAR #:	_ Fault Ca	tegory:	_ NCR: Yes	No <b>DQ</b>	A:	Date:					
	R	esolution:	_ Disposit	ion:	_ QA: N/C (	Closed:		Date: _					
NCR:		W	ORK OR	DER NON-CONFORMA	ANCE (NC	R)							
DATE	STEP	Description of NC Section A	Initial	Action Description	ion B	&   Secti	cation on C	Approval Chief Eng	Approval QC Inspector				
			Chief Eng	Chief Eng	Date	<b>B</b>							
. ,													
	:			,									
	1							1					

#### Work Order ID 50057

July 7, 2009 1:20:53 PM



Page 2

Item ID:

D2565-107

Accept

Setup Start

Stop



**Revision ID:** 

Е

Strut Item Name:

**Start Date:** 7/08/09 **Start Oty: 10.00** 

Req'd Qty: 10.00



**Cust Item ID: Customer:** 

Reference:

**Approvals:** 

Process Plan:

Date: \_\_\_\_\_

**Tooling:** 

Date:

Draw

Number

Start Run

Required Date: 7/10/09

\_\_\_\_\_ Date:

SPC (Y/N):

Date:

Stop

Sequence ID/ **Work Center ID** 

130

Powder Coating

Description

Operation

White Gloss(Ref:4.3.5.2) per QSI005 4.3-Steel

Set Up/ Run Hours

Draw Rev.

Plan Code

Accept Oty

Reject Reject Qty Number

Insp. Stamp

Powdercoat

Memo

0.00

4609=

0.00

12:40pm START TIME: 12'50 JIFINISH TIME:

□OVEN TEMPERATURE:

09-07-08- (10)



140

Quality Control

QC3-Inspect Part Finish

0.00

09-07-8

Memo

0.00

150

Packaging

Packaging

Memo

Identify as per dwg & Stock Location: 270

0.00

0.00

W/O:			WC	RK ORDER CHANGI	ES				
DATE	STEP	PROCEDURE CHANGE   By   Date   Qty   Chief En						Approval Chief Eng / Prod Mgr	Approval QC Inspector
									-
		•							
		PAR #:	Fault Cate	gory:	NCR: Yes	No <b>DQ</b>	A:	Date: _	
	Res	olution:	Dispositio	າ:	_ QA: N/C	Closed:		Date: _	
NCR:			WORK ORDI	ER NON-CONFORMA	NCE (NC	R)			
DATE	STEP Description of NC Section A	Description of NC	Initial	on B Sign		cation	Approval	Approval	
DATE		Section A	Chief Eng	Action Description Chief Eng	Dat		ion C	Chief Eng	QC Inspector
									5

#### Work Order ID 50057

July 7, 2009 1:20:53 PM



Page 3

Item ID:

D2565-107

Е **Revision ID:** 

Strut Item Name:

**Start Date:** 

Required Date: 7/10/09

7/08/09

Start Qty: 10.00

Reg'd Qty: 10.00



**Cust Item ID:** 

Date:

Date:

Draw

Rev.

Plan

Code

**Customer:** 

Draw

Number

Reference:

**Approvals:** 

Process Plan:

Operation

Description

Date:

Date: **Tooling:** 

SPC (Y/N):

Accept

Set Up/

Run Hours

0.00

QC21- Final Inspection - Work Order Release

Memo

**Work Center ID** 

160

Sequence ID/

QC

Quality Control

0.00

Run

Accept

Qty

Start

Stop

Setup Start

Stop

Reject

Qty

Insp. Reject Number Stamp

09/07/09 Ty

		<del></del>		•								
W/O:			WORK ORDER CHANGES									
DATE	STEP	PRO	PROCEDURE CHANGE By Date Qty		PROCEDURE CHANGE By Date		Qty Approval Chief Eng / Prod Mgr		Approval QC Inspector			
			· · · · · · · · · · · · · · · · · · ·									
Part No	:	PAR #:	Fault Cate	gory:	NCR: Y	es No	DQA	۱:	_ Date: _			
	Res	solution:	Dispositio	n:	QA: N/C	Clos	ed:		Date: _			
NCR:		•	WORK ORD	ER NON-CONFORM	IANCE (N	CR)						
DATE	STEP	Description of NC	Corrective Action Section			Verification			Approval	Approval		
DAIL	SILF	Section A	Initial Chief Eng	Action Description Chief Eng	Sig D	n & ate	Section	on C	Chief Eng	QC Inspector		

## **Picklist Print**

' July 7, 2009 1:20:53 PM

Work Order ID: 50057

Parent Item:

D2565-107RevE

Parent Item Name: Strut

Comments:



**Start Date: 7/08/09** 

Required Date: 7/10/09

**Start Qty: 10.00** 

Required Qty: 10.00

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Remaining Qty To Picl	Qty ( Issued	Date Issued	Status	
M304TR0.750W.049		Purchased	No			100	f	151.8600	11.7800				
										MIIIC	018	SA 09/07/08	(10)
304 RD Tube .750 x .049W									-				$\smile$


Warehouse	Loc Oty	Loc Code	
<b>Location</b>			
Main Warehouse			
МАТ	151.86		
107518	7.27		
108498	0		
109314	8.5		
110113	0.73		
110271	0.03		
111096	9		
111457	11.43		
111619	114.9		


W/O:	•		W	ORK ORDER CHANG	ES					
DATE	STEP	PRO		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector		
										·
						į.		į		
										; ;
							···			
Part No: PAR #			Fault Cate	gory:	_ NCF	R: Yes	No <b>DQ</b>	<b>A</b> :	_ Date: _	·
	Res	solution:	Dispositio	n:	_ QA:	N/C Cld	sed:		Date: _	
NCR:			WORK ORD	ER NON-CONFORMA	ANCE	(NCR	)			
DATE	STEP	Description of NC	Corrective Action Section B				Sign & Verific		Approval	Approval
DAIL	SILF	Section A	Initial Chief Eng	Action Description Chief Eng	on Sign & Date			ion C	Chief Eng	QC Inspector
<i></i>										
								•	,	





DESIGN DRAWN BY			DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
CHEC	KED	APPROVED	DRAWING NO. REV. E D2565 SHEET 1 OF 1
DATE		<u> </u>	TITLE SCALE
04.0	05.05		STRUT 1:3
Α		96.05.03	NEW ISSUE
В		97.03.15	CORRECT D2565-111 DIM. A
С		98.10.05	UPDATED MATERIAL NOTE (TSR A603)
D		02.06.05	ADD -3XX PARTS; ADD FINISH
Ε		04.05.05	ADD D2565-401-411; RMV ANGLE D





PART #	Α	В	DIA C
D2565-101	20.52	19.72	0.316
D2565-103	18.21	17.41	0.316
D2565-105	20.19		
D2565-107	13.43	12.63	<del></del>
D2565-109	12.31	11.51	_
D2565-111	13.65	12.85	
D2565-201	22.79		0.316
D2565-203	20.75	19.95	
D2565-205	21.22	20.42	0.316
D2565-207	16.07	15.27	_
D2565-209	15.16	14.36	
D2565-211	14.14	13.34	
D2565-301	27.03	26.23	
D2565-303	25.34	24.54	
D2565-305		22.93	0.316
D2565-307	20.86	20.06	_
D2565-309	20.17	19.37	_
D2565-311	16.30	15.50	
D2565-401	18.29	17.49	0.316
D2565-403	15.64	14.84	0.316
D2565-405	19.45	18.65	0.316
D2565-407	10.79	9.99	*****
D2565-409	9.34	8.54	
D2565-411	13.81	13.01	_

#### **GENERAL NOTES**

PUNCH ENDS PER SPEC CONTROL DRAWING D2638 -

1) MATERIAL: AISI 304/316/318 SS 0.750 OD X 0.049 WALL (REF DART SPEC. M304TR0.750W0.049)

ENSURE SEAMLESS TUBE IS USED

- 2) FINISH: POWDER COAT WHITE (4.3.5.2) PER DART QSI 005 4.3 3) TOLERANCES PER DART QSI 018 UNLÉSS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES

Copyright © 1996 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.